

Amendment to TOOL VENDING MACHINES AND METHOD THEREFORE
Stephen M. Pixley, et al., inventors
Serial No. 10/791,991
Filed March 2, 2004
Page 2 of 7

In the Claims:

1. (currently amended) A tool vending machine comprising:
 - a housing having a sidewall which encloses an internal chamber, a door mounted in said sidewall, said door being located within a door opening formed in said sidewall, said door being pivotally movable relative to said housing;
 - at least one first compartment located in said internal chamber;
 - at least one second compartment located in said internal chamber, said second compartment being larger in size than said first compartment;
 - a drive mechanism for moving said first compartment and said second compartment, said drive mechanism being located within said internal chamber, said drive mechanism to move said first compartment and said second compartment to be located directly adjacent said door to permit manual access into said compartment by opening of said door, only a single said compartment to be aligned with said door at a time;
 - a user interface tool selection means mounted on said sidewall, said user interface tool selection means to permit manual selection of either said first compartment or said second compartment to be moved in alignment with said door; and
 - baffle means mounted on said housing and located within said internal chamber, said baffle means to be movable to change size of said door opening so said door opening corresponds in size with the size of said compartment that is aligned with said door, said baffle means being movable by a rack and pinion gear assembly, whereby when a said compartment is aligned with said door and said door is opened a person is permitted to exact

Amendment to TOOL VENDING MACHINES AND METHOD THEREFORE
Stephen M. Pixley, et al., inventors
Serial No. 10/791,991
Filed March 2, 2004
Page 3 of 7

a tool contained within said compartment and only that compartment.

2.(original) The tool vending machine as defined in Claim 1 wherein:
there being a plurality of said doors.

3.(canceled)

4.(original) The tool vending machine as defined in Claim 1 wherein:
there being a plurality of said first compartments.

5.(canceled)

6.(original) The tool vending machine as defined in Claim 1 wherein:
there being a plurality of said second compartments.

7.(canceled)

8.(canceled)

9.(original) The tool vending machine as defined in Claim 1 wherein:
said baffle means comprising a pair of plates movable simultaneously in

Amendment to TOOL VENDING MACHINES AND METHOD THEREFORE
Stephen M. Pixley, et al., inventors
Serial No. 10/791,991
Filed March 2, 2004
Page 4 of 7

opposite directions.

10.(previously presented) The tool vending machine as defined in Claim 9
wherein:

 said plates being mounted on said sidewall directly adjacent said door.

11.(currently amended) A tool vending machine comprising:
 a bin carousel tray assembly that has a plurality of different size compartments,
 said bin carousel tray assembly being mounted within an internal chamber of a housing;
 a user interface tool selection means for selecting a compartment of said
 compartments to be moved directly adjacent to and in alignment with a door mounted in said
 housing; and

 a baffle assembly mounted in conjunction with said door, said door defining
 an opening, said baffle assembly to automatically adjust size of said opening to correspond
 to size of said compartment with it being understood that only a single said compartment can
 be aligned with said door at a time, said baffle assembly being movable by a rack and pinion
gear assembly, said baffle assembly comprising a plurality of plates.

